



ANNUAL MUNICIPAL SEPARATE STORM SEWER SYSTEM (MS4) STATUS REPORT

FOR THE PERIOD March 9, 2020 TO March 9, 2021

GENERAL INFORMATION					
Permittee Name:	Derry Township	NPDES Permit No.:	PAI136136		
Mailing Address:	5321 Route 982	Effective Date:	March 10, 2014		
City, State, Zip:	Derry, PA 15627	Expiration Date:	September 26, 2023		
MS4 Contact Person:	Mr. Dave Slifka	Renewal Due Date:	March 26, 2023		
Title:	Township Supervisor	Municipality:	Derry Township		
Phone:	724-694-8835	County:	Westmoreland		
Email:	derrytownship@comcast.net				
Co-Permittees (if applicable):					
Appendix(ces) that permittee is subject to (select all that apply):					
<input checked="" type="checkbox"/> Appendix A <input type="checkbox"/> Appendix B <input type="checkbox"/> Appendix C <input type="checkbox"/> Appendix D <input checked="" type="checkbox"/> Appendix E <input type="checkbox"/> Appendix F					
WATER QUALITY INFORMATION					
Are there any discharges to waters within the Chesapeake Bay Watershed? <input type="checkbox"/> Yes <input type="checkbox"/> No					
Identify all surface waters that receive stormwater discharges from the permittee's MS4 and provide the requested information (see instructions).					
Receiving Water Name	Ch. 93 Class.	Impaired?	Cause(s)	TMDL?	WLA?
Loyalhanna Creek	WWF	Y	AMD - TSS & Metals	Y	Y
Saxman Run	WWF	Y	AMD - TSS & Metals	Y	Y
McGee Run	TSF	Y	Algea and Siltation	Y	Y
Trout Run	CWF	Y	Organic Enrichment, Low D.O.	Y	Y
Miller Run	HQ	N		Y	Y

GENERAL MINIMUM CONTROL MEASURE (MCM) INFORMATION

Have you completed all MCM activities required by the permit for this reporting period? Yes No

List the current entity responsible for implementing each MCM of your SWMP, along with contact name and phone number.

MCM	Entity Responsible	Contact Name	Phone
#1 Public Education and Outreach on Storm Water Impacts	Supervisor	Dave Slifka	724-694-8835
#2 Public Involvement/Participation	Supervisor	Dave Slifka	724-694-8835
#3 Illicit Discharge Detection and Elimination (IDD&E)	Supervisor	Dave Slifka	724-694-8835
#4 Construction Site Storm Water Runoff Control	Supervisor	Dave Slifka	724-694-8835
#5 Post-Construction Storm Water Management in New Development and Redevelopment	Supervisor	Dave Slifka	724-694-8835
#6 Pollution Prevention / Good Housekeeping	Supervisor	Jim Prohaska	724-694-8835

MCM #1 – PUBLIC EDUCATION AND OUTREACH ON STORM WATER IMPACTS

BMP #1: Develop, implement and maintain a written Public Education and Outreach Program.

1. For new permittees only, has the written PEOP been developed and implemented within the first year of permit coverage?

Yes No

2. Date of latest annual review of PEOP: **August 2018** Were updates made? Yes No

3. What were the plans and goals for public education and outreach for the reporting period?

The Township continues displaying stormwater posters and educational pamphlets at the Township office. Pamphlets include 'When it Rains, It Drains' brochure and 'Construction Runoff' flyer which is also included in building permit applications. The Township office has 'Homeowner's Guide to Stormwater' guidebook available to residents at the Township building. The Township website provides information on household recycling and garbage collection. There will be an educational sign posted at the Turner Lane construction project.

4. Did the MS4 achieve its goal(s) for the PEOP during the reporting period? Yes No

5. Identify specific plans and goals for public education and outreach for the upcoming year:

The Township plans to add stormwater comments to the public meetings to inform the public on storm water issues. The Township will continue to verbally communicate with the public on stormwater related issues during road maintenance or construction activities. The Township has updated their Facebook page with MS4 material.

BMP #2: Develop and maintain lists of target audience groups present within the areas served by your MS4.

1. For new permittees only, have the target audience lists been developed and implemented within the first year of permit coverage?

Yes No

2. Date of latest annual review of target audience lists: **August 2018** Were updates made? Yes No

BMP #3: Annually publish at least one educational item on your Stormwater Management Program.

The Township makes public service announcements at monthly meetings. Some subject matter could be updates on ongoing stormwater projects within the Sulphur Run Watershed and the Lower Saxman Run constructed wetland project that can be reported by the Latrobe Bulletin or other local papers.

1. For new permittees only, were stormwater educational and informational items produced and published in print and/or on the Internet within the first year of permit coverage?

Yes No

2. Date of latest annual review of educational materials: **August 2018** Were updates made? Yes No

3. Do you have a municipal website? Yes No (URL: **derrytownship.com**)

If Yes, what MS4-related material does it contain?

Derry Township's website has a page that describes the MS4 program and the six Minimum Control Measures as well as provides links to EPA and PADEP stormwater websites for more information.

4. Describe any other method(s) used during the reporting period to provide information on stormwater to the public:
Stormwater posters displayed at Township office, 'Homeowner's Guide to Stormwater Runoff' and 'When it Rains, It Drains' brochures kept and distributed at Township office as well as on their Facebook webpage.
5. Identify specific plans for the publication of stormwater materials for the upcoming year:
DTS has added more specific stormwater information and more detailed information on each MCM to the webpage on Township website. The Township plans to continue to coordinate with the City of Latrobe on Sulphur Run Watershed Study and other stormwater projects that affect both communities. Also, the stormwater advertisement for the new Township map is to be published in 2022.

BMP #4: Distribute stormwater educational materials to the target audiences.

Identify the two additional methods of distributing stormwater educational materials during the previous reporting period (e.g., displays, posters, signs, pamphlets, booklets, brochures, radio, local cable TV, newspaper articles, other advertisements, bill stuffers, posters, presentations, conferences, meetings, fact sheets, giveaways, or storm drain stenciling).

Some methods include stormwater posters being displayed at Township office and the 'Homeowner's Guide to Stormwater Runoff' and 'When it Rains, It Drains' brochures kept and distributed at Township office. The Township plans on sending a letter out to local businesses to ask permission to post MS4 information on their bulletin boards. The Township will check for any viable retail stores, gas stations etc. that would be willing to participate. The Township will also be adding Stormwater statements to the monthly public meetings. In addition, they have and will continue to have updates to their Facebook page.

MCM #1 Comments:

MCM #2 – PUBLIC INVOLVEMENT/PARTICIPATION

BMP #1: Develop, implement and maintain a written Public Involvement and Participation Program (PIPP)

1. For new permittees only, was the PIPP developed and implemented within one year of permit coverage?

Yes No

2. Date of latest annual review of PIPP: **August 2018** Were updates made? Yes No

BMP #2: Advertise to the public and solicit public input on ordinances, SOPs, Pollutant Reduction Plans (PRPs) (if applicable) and TMDL Plans (if applicable), including modifications thereto, prior to adoption or submission to DEP:

1. Was an MS4-related ordinance, SOP, PRP or TMDL Plan developed during the reporting period? Yes No
2. If Yes, describe how you advertised the draft document(s) and how you provided opportunities for public review, input and feedback:

This was discussed at monthly public meetings.

If an ordinance, SOP or plan was developed or amended during the reporting period, provide the following information:

Ordinance / SOP / Plan Name	Date of Public Notice	Date of Public Hearing	Date Enacted or Submitted to DEP
The Township adopted the County Model of the Stormwater Ordinance in December of 2020.			

BMP #3: Regularly solicit public involvement and participation from the target audience groups using available distribution and outreach methods.

1. At least one public meeting or other MS4 event must be held during the 5-year permit coverage period to solicit participation and feedback from target audience groups. Was this meeting or event held during the reporting period?

Yes No

If Yes, Date of Meeting or Event:

Regular monthly public meetings allow a forum for public to bring stormwater issues to the Supervisors attention. PSA's have been made and will continue to be made at these meetings.

2. Report instances of cooperation and participation in MS4 activities; presentations the permittee made to local watershed and conservation organizations; and similar instances of participation or coordination with organizations in the community.

The Township hosted and participated in several meetings involving the study of the Sulphur Run watershed, an impaired urbanized watershed that affects residents and businesses of both the Township and the City of Latrobe. The intent of these meetings was to develop a watershed-wide plan for reducing flash flooding and improving the water quality of the stream. These meetings involved the Westmoreland County Conservation District, the Loyalhanna Watershed Association, the City of Latrobe, Latrobe and Derry Township municipal authorities, US Army Corps of Engineers (USACE), and the officials from the local State House and Senate offices.

The Township has since been collaborating with the USACE on a hydrologic and hydraulic model of the storm sewers and waterways of the Sulphur Run watershed that the USACE has been developing for the purpose of guiding the Township as well as neighboring City of Latrobe toward planning stormwater infrastructure improvements within this flood-prone watershed.

3. Report activities in which members of the public assisted or participated in the meetings and in the implementation of the SWMP, including education activities or efforts such as cleanups, monitoring, storm drain stenciling, or others.

The Township has reached out to and continues to work with several property owners for the design and implementation of several stormwater management facilities that will reduce flooding impacts and improve water quality of the affected streams.

MCM #2 Comments:

Ongoing projects such as Penn Avenue and Maple Avenue stormwater management pond, Meadow Drive bioretention pond and the Lower Saxman Run constructed wetland pond will continue to move forward and involve the public as far as the projects benefits and acquiring rights-of-way.

MCM #3 – ILLICIT DISCHARGE DETECTION AND ELIMINATION (IDD&E)

BMP #1: Develop and implement a written program for the detection, elimination, and prevention of illicit discharges into the regulated small MS4.

1. For new permittees only, was the written IDD&E program developed within one year of permit coverage?

Yes No

2. Date of latest annual review of IDD&E program: **August 2018** Were updates made? Yes No

BMP #2: Develop and maintain map(s) that show permittee and urbanized area boundaries, the location of all outfalls and, if applicable, observation points, and the locations and names of all surface waters that receive discharges from those outfalls. Outfalls and observation points shall be numbered on the map(s).

1. Have you completed a map(s) that includes all components of BMP #2? Yes No

If Yes and you are a new permittee and have not submitted the map(s) previously, attach the map(s) to this report.

If No, date by which permittee expects map(s) to be completed:

2. Date of last update or revision to map(s): August 2018
3. Total No. of Outfalls in MS4: 112 Total No. of Outfalls Mapped: 112
4. Total No. of Observation Points: 0 Total No. of Observation Points Mapped: 0
5. During the reporting period, have you identified any existing outfalls that have not been previously reported to DEP in an NOI, application or annual report, or are any new MS4 outfalls proposed for the next reporting period?
- Yes No If Yes, select: Existing Outfall(s) Identified New Outfall(s) Proposed

BMP #3: In conjunction with the map(s) created under BMP #2 (either on the same map or on a different map), the permittee shall develop and maintain map(s) that show the entire storm sewer collection system within the permittee's jurisdiction that are owned or operated by the permittee (including roads, inlets, piping, swales, catch basins, channels, and any other components of the storm sewer collection system), including privately-owned components of the collection system where conveyances or BMPs on private property receive stormwater flows from upstream publicly-owned components.

1. Have you completed a map(s) that includes all components of BMP #3? Yes No

If Yes and you are a new permittee and have not submitted the map(s) previously, attach the map(s) to this report.

If No, date by which permittee expects map(s) to be completed:

2. If Yes to #1, is the map(s) on the same map(s) as for outfalls and receiving waters? Yes No

3. Date of last update or revision to map(s): **August 2018**

BMP #4: Conduct dry weather screenings of MS4 outfalls to evaluate the presence of illicit discharges. If any illicit discharges are present, the permittee shall identify the source(s) and take appropriate actions to remove or correct any illicit discharges. The permittee shall also respond to reports received from the public or other agencies of suspected or confirmed illicit discharges associated with the storm sewer system, as well as take enforcement action as necessary. The permittee shall immediately report to DEP illicit discharges that would endanger users downstream from the discharge, or would otherwise result in pollution or create a danger of pollution or would damage property.

For new permittees, all identified outfalls (and if applicable observation points) must be screened during dry weather at least twice within the 5-year period following permit coverage. For existing permittees, all identified outfalls (and if applicable observation points) must be screen during dry weather at least once within the 5-year period following permit coverage and, for areas where past problems have been reported or known sources of dry weather flows occur on a continual basis, outfalls must be screened annually during each year of permit coverage.

1. How many unique outfalls (and if applicable observation points) were screened during the reporting period? **50**
2. Indicate the percentage of all outfalls screened in the past five years. **0**
3. Indicate the percent of outfalls screened during the reporting period that revealed dry weather flows: **0%**
4. Did any dry weather flows reveal color, turbidity, sheen, odor, floating or submerged solids? Yes No
5. If Yes for #4, attach all sample results to this report with a map identifying the sample location. Explain the corrective action(s) taken in the attachment.
6. Do you use the MS4 Outfall Field Screening Report form (3800-FM-BCW0521) provided in the permit?
 Yes No

If No, attach a copy of your screening report form.

BMP #5: Enact a Stormwater Management Ordinance or SOP to implement and enforce a stormwater management program that includes prohibition of non-stormwater discharges to the regulated small MS4.

1. Do you have an ordinance (municipal) or SOP or other mechanism (non-municipal) that prohibits non-stormwater discharges? Yes No
If Yes, indicate the date of the ordinance or SOP: **3/2/04**
2. If Yes to #1, is the ordinance or SOP consistent with DEP's 2022 Model Stormwater Management Ordinance (3800-PM-BCW0100j) with respect to authorized non-stormwater discharges? Yes No

If Yes to #2 and the ordinance or SOP has not been submitted to DEP previously, attach the ordinance or SOP.

3. Were there any violations of the ordinance or SOP during the reporting period? Yes No

If Yes to #3, complete the table below (attach additional sheets as necessary).

Violation Date	Nature of Violation	Responsible Party	Enforcement Taken
None			

4. Did you approve any waiver or variance during the reporting period that allowed an exception to non-stormwater discharge provisions of an ordinance or SOP? Yes No

If Yes to #4, identify the entity that received the waiver or variance and the type of non-stormwater discharge approved.

BMP #6: Provide educational outreach to public employees, business owners and employees, property owners, the general public and elected officials (i.e., target audiences) about the program to detect and eliminate illicit discharges.

1. Was IDD&E-related information distributed to public employees, businesses, and the general public during the reporting period? Yes No

If Yes, what was distributed?

2. Is there a well-publicized method for employees, businesses and the public to report stormwater pollution incidents?

Yes No

3. Do you maintain documentation of all responses, action taken, and the time required to take action? Yes No

MCM #3 Comments:

MCM #4 – CONSTRUCTION SITE STORMWATER RUNOFF CONTROL

Are you relying on PA's statewide program for stormwater associated with construction activities to satisfy this MCM?

Yes No

(If Yes, respond to questions for BMP Nos. 1, 2 and 3 only in this section. If No, respond to questions for all BMPs in this section)

BMP #1: The permittee may not issue a building or other permit or final approval to those proposing or conducting earth disturbance activities requiring an NPDES permit unless the party proposing the earth disturbance has valid NPDES Permit coverage (i.e., not expired) under 25 Pa. Code Chapter 102.

During the reporting period, did you comply with 25 Pa. Code § 102.43 (relating to withholding building or other permits or approvals until DEP or a county conservation district (CCD) has approved NPDES permit coverage)?

Yes No Not Applicable (no building permit applications received)

BMP #2: A municipality or county which issues building or other permits shall notify DEP or the applicable CCD within 5 days of the receipt of an application for a permit involving an earth disturbance activity consisting of one acre or more, in accordance with 25 Pa. Code § 102.42.

During the reporting period, did you comply with 25 Pa. Code § 102.42 (relating to notifying DEP/CCD within 5 days of receiving an application involving an earth disturbance activity of one acre or more)?

Yes No Not Applicable (no building permit applications received)

BMP #3: Enact, implement and enforce an ordinance or SOP to require the implementation and maintenance of E&S control BMPs, including sanctions for non-compliance, as applicable.

1. Do you have an ordinance (municipal) or SOP or other mechanism (non-municipal) that requires implementation and maintenance of E&S control BMPs? Yes No

If Yes, indicate the date of the ordinance or SOP:

2. If Yes to #1, is the ordinance or SOP consistent with DEP's 2022 Model Stormwater Management Ordinance (3800-PM-BCW0100j)? Yes No

3. If Yes to #2 and the ordinance or SOP has not been submitted previously, attach a copy of the ordinance or SOP.

BMP #4: Review Erosion and Sediment (E&S) control plans to ensure that such plans adequately consider water quality impacts and meet regulatory requirements.

Specify the number of E&S Plans you reviewed during the reporting period: **7 E&S plan reviews conducted by WCD (from March 2020 through March 2021)**

BMP #5: Conduct inspections regarding installation and maintenance of E&S control measures during earth disturbance activities. Maintain records of site inspections, including dates and inspection results, in accordance with the record retention requirements in this permit.

Specify the number of E&S inspections you completed during the reporting period: **0 E&S inspections conducted by WCD**

BMP #6: Conduct enforcement when installation and maintenance of E&S control measures during earth disturbance activities does not comply with permit and/or regulatory requirements.

Specify the number of enforcement actions you took during the reporting period for improper E&S: **0**

BMP #7: Develop and implement requirements for construction site operators to control waste at construction sites that may cause adverse impacts to water quality. The permittee shall provide education on these requirements to construction site operators.

Specify the method(s) by which you are educating construction site operators on controlling waste at construction sites:

A fact sheet on Chapter 102 requirements is included with building permit applications.

BMP #8: Develop and implement procedures for the receipt and consideration of public inquiries, concerns, and information submitted by the public to the permittee regarding local construction activities.

1. A tracking system has been established for receipt of public inquiries and complaints. Yes No

2. Specify the number of inquiries and complaints received during the reporting period: **5**

MCM #4 Comments:

MCM #5 – POST-CONSTRUCTION STORM WATER MANAGEMENT IN NEW DEVELOPMENT AND REDEVELOPMENT

BMP #1: Enact, implement and enforce an ordinance or SOP to require post-construction stormwater management from new development and redevelopment projects, including sanctions for non-compliance.

1. Do you have an ordinance (municipal) or SOP or other mechanism (non-municipal) that requires implementation and maintenance of post-construction stormwater management (PCSM) BMPs? Yes No
If Yes, indicate the date of the ordinance or SOP: **12/2020**
2. If Yes to #1, is the ordinance or SOP consistent with DEP's 2022 Model Stormwater Management Ordinance (3800-PM-BCW0100j)? Yes No
3. If Yes to #2 and the ordinance or SOP has not been submitted previously, attach a copy of the ordinance or SOP.

BMP #2: Develop and implement measures to encourage and expand the use of Low Impact Development (LID) in new development and redevelopment. Measures should also be included to encourage retrofitting LID into existing development. Enact ordinances consistent with LID practices and repeal sections of ordinances that conflict with LID practices.

1. Do you have an ordinance (municipal) or SOP or other mechanism (non-municipal) that encourages and expands the use of LID in new development and redevelopment? Yes No
If Yes, indicate the date of the ordinance or SOP: **12/2020**
2. If Yes to #1, is the ordinance or SOP consistent with DEP's 2022 Model Stormwater Management Ordinance (3800-PM-BCW0100j)? Yes No
3. If Yes to #2 and the ordinance or SOP has not been submitted previously, attach a copy of the ordinance or SOP.

BMP #3: Ensure adequate O&M of all post-construction stormwater management BMPs that have been installed at development or redevelopment projects that disturb greater than or equal to one acre, including projects less than one acre that are part of a larger common plan of development or sale.

1. Do you have an inventory of all PCSM BMPs that were installed to meet requirements in NPDES Permits for Stormwater Discharges Associated with Construction Activities approved since March 10, 2003? Yes No
If Yes to #1, complete Table 1 on the next page.
2. Has proper O&M occurred during the reporting period for all PCSM BMPs? Yes No
3. If No to #2, explain what action(s) the permittee has taken or plans to take to ensure proper O&M.

WCD performs PCSM inspections. The Township inspects PCSM BMPs once a year and notifies owners of any maintenance initially in person and if the owner takes no action, the Township moves to cite the owner.

If you are relying on PA's statewide program for stormwater associated with construction activities, you may skip to MCM #6, otherwise complete all questions for BMPs #4 - #6 in this section.

BMP #4: Require the implementation of a combination of structural and/or non-structural BMPs that are appropriate to the local community, that minimize water quality impacts, and that are designed to maintain pre-development runoff conditions.

1. Specify the number of PCSM Plans reviewed during the reporting period for projects disturbing greater than or equal to one acre (including projects less than one acre that are part of a larger common plan of development or sale):
Has a tracking system been established and maintained to record qualifying projects and their associated BMPs?
 Yes No

PCSM BMP INVENTORY

Table 1. To complete the information needed for MCM #5, BMP #3, list all existing structural BMPs that discharge stormwater to the permittee's MS4 that were installed to satisfy PCSM requirements for earth disturbance activities under Chapter 102, and provide the requested information (see instructions).

BMP No.	BMP Name	DA (ac)	Entity Responsible for O&M	Latitude	Longitude	Date Installed	O&M Requirements	NPDES Permit No.
1	Rebecca Drive Detention Pond		Private Owner	40°18'57.89"	79°22'10.94"			
2	Frank Circle Detention Pond		Private Owner	40°18'20.46"	79°21'19.83"			
3	Red Cut Lodge Detention Pond	13.10	Private Owner	40°19'47.61"	79°22'42.18"			
4	Spring Crest Detention Ponds 1 & 2	21.69	Private Owner	40°19'8.16"	79°21'48.16"			
5	Barnes House Detention Pond		Private Owner	40°18'50.26"	79°22'8.51"			
6	Advanced Carbide Grinding Detention Pond		Private Owner	40°19'53.81"	79°19'20.44"			
7	Greenfield Estates Detention Pond		Private Owner	40°19'59.59"	79°19'16.79"			
8	Sunview Circle Detention Pond		Private Owner	40°18'54.31"	79°20'50.66"			
9	Murtha Way		Westmoreland County	40°17'52.02"	79°21'51.27"			
10	Victoria Highlands		David Kontor	40°19'59.59"	79°19'16.79"			
11								
12								

BMP #5: Ensure that controls are installed that shall prevent or minimize water quality impacts. The permittee shall inspect all qualifying development or redevelopment projects during the construction phase to ensure proper installation of the approved structural PCSM BMPs. A tracking system (e.g., database, spreadsheet, or written list) shall be implemented to track the inspections conducted and to track the results of the inspections (e.g., BMPs were, or were not, installed properly). WCD inspects PCSM BMP installation.

1. During the reporting period have you inspected all qualifying development and redevelopment projects during the construction phase to ensure proper installation of approved structural BMPs?
 Yes No Not Applicable (no qualifying projects during reporting period)
2. Has a tracking system been established and maintained to record results of inspections?
 Yes No

BMP #6: Develop a written procedure that describes how the permittee shall address all required components of this MCM.

Have you developed a written plan that addresses: 1) minimum requirements for use of structural and/or non-structural BMPs in plans for development and redevelopment; 2) criteria for selecting and standards for sizing stormwater BMPs; and 3) implementation of an inspection program to ensure that BMPs are properly installed? Yes No

MCM #5 Comments:

The Township adopted the County's model ordinance in December of 2020.

MCM #6 – POLLUTION PREVENTION / GOOD HOUSEKEEPING

BMP #1: Identify and document all operations that are owned or operated by the permittee and have the potential for generating pollution in stormwater runoff to the MS4. This includes activities conducted by contractors for the permittee.

1. Have you identified all facilities and activities owned and operated by the permittee that have the potential to generate stormwater runoff into the MS4? Yes No
2. When was the inventory last reviewed? **March 2021**
3. When was it last updated? **March 2021**

BMP #2: Develop, implement and maintain a written O&M program for all operations that could contribute to the discharge of pollutants from the MS4, as identified under BMP #1. This program shall address stormwater collection or conveyance systems within the regulated MS4.

1. Have you developed a written O&M program for the operations identified in BMP #1? Yes No
2. Date of last review or update to written O&M program: **March 2021**

BMP #3: Develop and implement an employee training program that addresses appropriate topics to further the goal of preventing or reducing the discharge of pollutants from operations to the regulated small MS4. All relevant employees and contractors shall receive training.

1. Have you developed an employee training program? Yes No
2. Date of last review or update to training program: **March 2021** Date of latest training:

3. Training topics covered:

Monthly safety meetings are conducted in house.

4. Name(s) of training presenter(s):

5. Names of training attendees:

Dave Slifka and Jim Prohaska, other numerous DTS employees

MCM #6 Comments:

Some members of DTS may attend the 2019 Stormwater Conference in Uniontown October of 2019 as well as the Three Rivers Wet Weather Conference in Monroeville in November 2019.

POLLUTANT CONTROL MEASURES (PCMs)

Indicate the status of implementing PCMs in Appendices A, B and/or C by completing the table below. Skip this section if PCMs are not applicable.

Task	Date Completed	Attached	Anticipated Completion Date
Storm Sewershed Map(s)		<input type="checkbox"/>	
Source Inventory		<input type="checkbox"/>	
Investigation of Suspected Sources		<input type="checkbox"/>	
Ordinance/SOP for Controlling Animal Wastes		<input type="checkbox"/>	

PCM Comments:

POLLUTANT REDUCTION PLANS (PRPs) AND TMDL PLANS

1. Complete this section if the development and submission of a PRP and/or TMDL Plan was required as an attachment to the latest NOI or application or was required by the permit, regardless of whether DEP has approved the plan(s).

Type of Plan	Submission Date	DEP Approval Date	Surface Waters Addressed by Plan
<input type="checkbox"/> Chesapeake Bay PRP (Appendix D)			Chesapeake Bay
<input checked="" type="checkbox"/> Impaired Waters PRP (Appendix E)		11/14/2018	Loyalhanna Creek, Saxman Run, McGee Run
<input type="checkbox"/> TMDL Plan (Appendix F)			
<input type="checkbox"/> Combined Chesapeake Bay / Impaired Waters PRP			Chesapeake Bay,
<input type="checkbox"/> Combined PRP / TMDL Plan			

Joint Plan (if checked, list the name of the MS4 group or names of all entities participating in the joint plan below)

Joint Plan Participants:

2. Identify the pollutants of concern and pollutant load reduction requirements under the permit (see instructions).

Type of Plan	TSS Load Reduction (lbs/yr)	TP Load Reduction (lbs/yr)	TN Load Reduction (lbs/yr)
<input type="checkbox"/> Chesapeake Bay PRP (Appendix D)			
<input checked="" type="checkbox"/> Impaired Waters PRP (Appendix E)	149,269	61	527
<input type="checkbox"/> TMDL Plan (Appendix F)			
<input type="checkbox"/> Combined Chesapeake Bay / Impaired Waters PRP			
<input type="checkbox"/> Combined PRP / TMDL Plan			

3. Date Final Report Demonstrating Achievement of Pollutant Load Reductions Due: **11/30/2023**

4. Have any modifications to the plan(s) occurred since DEP approval? Yes No

If Yes to #4, was the updated plan(s) submitted to DEP? Yes No

If Yes to #4, did you comply with the public participation requirements of the applicable appendix? Yes No

If Yes to #4, describe the plan modifications.

5. Summary of progress achieved during reporting period.

A PA CFA Small Water & Sewer Projects grant application for the Penn and Maple Avenue stormwater project within the Sulphur Run watershed was submitted. Final designs are underway for the Lower Saxman constructed wetland. The Meadow Drive pond is under contract to be constructed in the summer of 2021. The Penn and Maple Avenue stormwater project has received funding. Right of Way agreements for pond property was reviewed by the property owners and will be executed. The USACE Sulphur Run Watershed study is underway. This study will identify stormwater problems areas and present mitigation situations.

6. Anticipated activities for next reporting period.

Complete permitting and start construction for Lower Saxman constructed wetland and Penn & Maple stormwater projects.

PRP/TMDL Plan Comments:

NEW BMPs FOR PRP/TMDL PLAN IMPLEMENTATION

Table 2. List all new structural BMPs installed and ongoing non-structural BMPs implemented during the reporting period that are being used toward achieving load reductions in the permittee's PRP and/or TMDL Plan (see instructions).

BMP No.	BMP Name	DA (ac)	% Imp.	BMP Extent	Units	Latitude	Longitude	Date Installed or Implemented	Planning Area?	Ch. 102?	Annual Sediment Load Reduction (lbs/yr)
	Inlet Cleaning	varies	varies			0 1 11	0 1 11	2019-2020	<input checked="" type="checkbox"/>	<input type="checkbox"/>	926
						0 1 11	0 1 11		<input type="checkbox"/>	<input type="checkbox"/>	
						0 1 11	0 1 11		<input type="checkbox"/>	<input type="checkbox"/>	
						0 1 11	0 1 11		<input type="checkbox"/>	<input type="checkbox"/>	
						0 1 11	0 1 11		<input type="checkbox"/>	<input type="checkbox"/>	

BMP INVENTORY FOR PRP/TMDL PLAN IMPLEMENTATION

Table 3. List all existing structural BMPs that have been installed in prior reporting periods and are eligible to use toward achieving load reductions in the permittee's PRP and/or TMDL Plan (see instructions).

BMP No.	BMP Name	DA (ac)	% Imp.	BMP Extent	Units	Latitude	Longitude	Date Installed	Annual Sediment Load Reduction (lbs/yr)	Date of Latest Inspection	Satisfactory?
						0 1 11	0 1 11		926		<input type="checkbox"/>
						0 1 11	0 1 11				<input type="checkbox"/>
						0 1 11	0 1 11				<input type="checkbox"/>
						0 1 11	0 1 11				<input type="checkbox"/>
						0 1 11	0 1 11				<input type="checkbox"/>
						0 1 11	0 1 11				<input type="checkbox"/>

CERTIFICATION

For PAG-13 Permittees: I have read the latest PAG-13 General Permit issued by DEP and agree and certify that (1) the permittee continues to be eligible for coverage under the PAG-13 General Permit and (2) the permittee will continue to comply with the conditions of that permit, including any modifications thereto. I understand that if I do not agree to the terms and conditions of the PAG-13 General Permit, I will apply for an individual permit within 90 days of publication of the General Permit. I also acknowledge that any facility construction needed to comply with the General Permit requirements shall be designed, built, operated, and maintained in accordance with operative laws and regulations.

For All Permittees: I certify under penalty of law that this report was prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. See 18 Pa. C.S. § 4904 (relating to unsworn falsification).

David Slička

Name of Responsible Official

724-694-8835

Telephone No.

David a. Slička

Signature

6-7-21

Date